

VICTORIA

ICONIC SUCTION UNIT

• EXTREMELY SILENT RUN 39,4 dB

- MAINTENANCE-FREE GERMAN AGGREGATE
- AGGREGATE BODY IS MADE OF ALUMINIUM ALLOY
- RELIABLE AND VIBRATION-FREE RUN
- AGGREGATE IS COOLED BY EXTRA FAN
- DESIGNED FOR CONTINUOUS RUN
- LOW MAINTENANCE REQUIREMENTS
- 6 YEAR WARRANTY ON THE AGGREGATE
- INNOVATIVE EUROPEAN DESIGN

www.cheiron.eu

• EXTREMELY SILENT RUN 39,4 dB

- MAINTENANCE-FREE GERMAN AGGREGATE
- AGGREGATE BODY IS MADE OF ALUMINIUM ALLOY
- RELIABLE AND VIBRATION-FREE RUN
- AGGREGATE IS COOLED BY EXTRA FAN
- DESIGNED FOR CONTINUOUS RUN
- LOW MAINTENANCE REQUIREMENTS
- 6 YEAR WARRANTY ON THE AGGREGATE
- INNOVATIVE EUROPEAN DESIGN



Overflow protection Vacuum gauge in kPa, mmHg and Bar, colour coded Illuminated on/off switch meets EU standard EN ISO 10079-1 Ergonomic vacuum regulator Casing is made of very sturdy, unbreakable, fire retardant material with UV protection Change-over valve shift the vacuum from one jar to the other with a single move - optional Π Jar holder is equipped with suction circuit holder The stainless eurorail ensures maximum flexibility. You can attach up to four jars of any size and/or any other accessories needed **MAKES LESS NOISE THAN YOUR PC!** A SPECIAL SYSTEM OF NOISE AND VIBRATION DAMPENING FOR AN EXTREMELY **QUIET AND SMOOTH OPERATION WITH** AN INCREDIBLY LOW NOISE LEVEL OF

> Non-marking casters with safety brakes. Antistatic casters - optional

www.cheiron.eu

VICTORIA VERSA

The most popular high performance model of Victoria especially suitable for wards, operating rooms, recovery rooms, ICUs, obstetrics and endoscopic applications, etc.

VICTORIA LIPOS

High performance solution designed particularly for liposuction and operating rooms.



Quiet and effective suction unit for medical practices, wards and endoscopic applications, as well suitable for fast suction in any situation.



VICTORIA PORTABLE WITH EURORAIL

Advantage of the unit is that instead of regular holder, unit is equipped with eurorail 25 x 10 mm this allows you to use your holders and jars.



VICTORIA THORAX

A suction unit specially designed for common use as well as for thoraxic and abdominal surgery drainage and intensive care. The system can be used for long-term up to 30 days continuous drainage.

Thanks to a unique patented solution Victoria Thorax enables full suction output even during drainage.



TECHNICAL SPECIFICATIONS

ТҮРЕ	PORTABLE	VERSA	THORAX	LIPOS
Suction jar 2 l with press on cover	٠	۰		۰
Suction jar 2 I with screw cover			• 2 pcs	
Suction jar holder for 2 l jar for the side of the unit	•			
Suction jar holder for 2 l jar for eurorail		•	• 2 pcs	٠
PVC suction circuit with stop valve	•	•	•	•
Mobile stand		•	•	•
Limiting water valve			•	
Suction capacity nominal +/– 5 %	43 l/min	43 l/min	43 l/min	50 l/min
Suction capacity effective +/- 5%	38 l/min	38 l/min	38 l/min	45 l/min
Vacuum	0–90 kPa	0–90 kPa	0–90 kPa	0–93 kPa
	(0–680 mmHg)	(0–680 mmHg)	(0–680 mmHg)	(0–700 mmHg)
Drainage			$0 - 40 \text{ cmH}_{2}\text{O}$	
Noisy level	LAeq 39,4 dB	LAeq 39,4 dB	LAeq 39,4 dB	LAeq 39,4 dB
Input Power	110 VA	110 VA	110 VA	110 VA
Input Voltage	230V /50–60 Hz and models for 120V \pm 10% / 60Hz are also available			
Dimensions (w \times h \times l) in milimeters	$440\times300\times310$	$480\times900\times460$	$480 \times 900 \times 460$	$480\times900\times460$
Dimensions (w \times h \times l) in inches	20,1 × 11,8 × 13,4	18,1 × 18,9 × 39	18,1 × 18,9 x 39	18,1 × 18,9 x 39
Weight (without accessories)	12 kg (26,5 lb)	21 kg (46,3 lb)	24 kg (52,9 lb)	21 kg (46,3 lb)



OPTIONAL ACCESSORIES





CHEIRÓN a.s., Ulrychova 13, 162 00 Prague 6, Czech Republic Branch office: Blatenska 27a, 326 00 Plzen, Czech Republic Tel.: +420 377 590 433, 422, Fax: +420 377 590 435 E-mail: export@cheiron.eu, www.cheiron.eu

www.cheiron.eu

In regard of the continuous research and evelopment Cheirón reserves the right to make changes which may affect the information contained in this brochure without prior notice.

